

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 15]

NEW DELHI, SATURDAY, APRIL 14, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th March, 1951.

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
STATES PART (A) & PART (C)																																			
Ajmer															Bihar—contd.																				
Total			8		5			Ranchi]			54		3						
(Estd. mid-year pop. 680 thousands)															Manbhum . . . 62 19 205 32																				
Total for w/e 10-3-51															Palamau 53 2																				
Total for w/e 3-3-51															Total . . . 79 25 1315 236																				
7-yearly mean for the week . . . 6 3															(Estd. mid-year pop. 88,839 thousands)																				
Assam															Total for w/e 10-3-51 24 21 942 156																				
Cachar . . . 2															Total for w/e 3-3-51 28 14 941 170																				
Khasi & Jaintia Hills . . . 12															7-yearly mean for the week . . . 282 133 512 91 83 51																				
Naga Hills															Bombay																				
Goalpara . . . 12 6															Bombay City 115 24																				
Kamrup . . . 9 5															Ahmedabad 4 2																				
Darrang . . . 23 2															Kaira . . . 1																				
Nowgong . . . 1 1 13 2															Broach 2																				
Sibsagar 8 6															Panch Mahals																				
Lakhimpur 10 12															Surat 23 5																				
Sadiya & Frontier Tracts.															Thane 24 3																				
Garo Hills 22 7															Bombay Suburbans																				
Total . . . 1 1 111 40		Ahmednagar . . . 1 ... 28 1																																	
(Estd. mid-year pop. 8,101 thousands)															East Khandesh 214 10																				
Total for w/e 10-3-51 28 14 83 28															West Khandesh 59 7																				
Total for w/e 3-3-51 3 1 115 33															Amreli																				
7-yearly mean for the week . . . 39 23 26 7															Nadiad 26 4																				
Bhopal															Poona 62 14																				
TOTAL 10 1		Satara North 36 14																																	
(Estd. mid-year pop. 831 thousands)															Satara South 24 4																				
Total for w/e 10-3-51 24 5															Sholapur 34 12																				
Total for w/e 3-3-51															Belgaum . . . 10 ... 13 1																				
7-yearly mean for the week 5															Bijapur 10 1																				
Bihar															Dharwar 8																				
Barabhad 77 18															Kanara 14																				
Barh 140 24															Ratnagiri 50 5																				
Muzaffarpur 88 32															Kolaba 18 3																				
Arrah . . . 8 1 100 32															Kolhapur																				
Manohar . . . 1 1 185 39															Baroda																				
... .. 138 18															Navsari																				
...															Dangs 2 1																				
...															Malwan																				
...															Mehsana 3 1																				
Total . . . 12 ... 769 121		Total . . . 12 ... 769 121																																	
(Estd. mid-year pop. 33,821 thousands)															Total for w/e 10-3-51 . . . 4 1 690 85																				
Total for w/e 3-3-51 523 75															Total for w/e 3-3-51 523 75																				
7-yearly mean for the week . . . 12 5 770 137 52 22															7-yearly mean for the week . . . 12 5 770 137 52 22																				

Explanation of Symbols used :—C—Cases ; D—Deaths;

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 17th March, 1951—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX			
	C	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Coorg													
No. incidence.													
(Estd. mid-year pop. 174 thousands)													
Total for w/e 10-3-51	—	—	—	—	—	—							
Total for w/e 3-3-51	—	—	—	—	—	—							
7-yearly mean for the week	—	—	3	—	—	—							
Delhi													
Delhi City	—	—	—	—	—	—							
New Delhi	—	—	—	—	—	—							
Delhi Shahdara	—	—	—	—	—	—							
Notified Area	—	—	1	—	—	—							
New Delhi Cantt.	—	—	—	—	—	—							
West Delhi N. A. C.	—	—	—	—	—	—							
Rural Circles	—	—	—	—	—	—							
TOTAL	—	—	1	—	—	—							
(Estd. mid-year pop. 1,453 thousands)													
Total for w/e 10-3-51	—	—	7	1	—	—							
Total for w/e 3-3-51	—	—	5	—	—	—							
7-yearly mean for the week	—	—	10	7	—	—							
Himachal Pradesh													
Mahasu	—	—	1	—	—	—							
Mandi	—	—	—	—	—	—							
Simla	—	—	—	—	—	—							
Chamba	—	—	—	—	—	—							
TOTAL	—	—	1	—	—	—							
(1941 census pop. 935 thousands)													
Total for w/e 10-3-51	—	—	—	—	—	—							
Total for w/e 3-3-51	—	—	—	—	—	—							
Madhya Pradesh													
Nagpur	45	6	157	55	6	1							
Wardha	—	—	81	8	—	—							
Chanda	—	—	235	22	—	—							
Chhindwara	—	—	237	18	7	2							
Betul	—	—	67	11	—	—							
Bhandara	—	—	196	2	54	4							
Jabalpur	—	—	17	3	40	23							
Sagar	—	—	15	5	—	—							
Mandla	—	—	—	—	—	—							
Hoshangabad	—	—	202	35	10	2							
Nimar	—	—	191	16	—	—							
Balaghat	—	—	148	14	—	—							
Raipur	5	1	156	10	—	—							
Bilaspur	—	—	52	3	—	—							
Durg	—	—	291	20	—	—							
Bastar	—	—	—	—	—	—							
Surguja	—	—	—	—	—	—							
Raigarh	—	—	1	—	—	—							
Amravati	—	—	44	5	—	—							
Yeotmal	—	—	62	1	—	—							
Akola	—	—	166	17	—	—							
Buldana	—	—	196	39	—	—							
TOTAL	50	7	2,514	284	126	32							
(Estd. mid-year pop. 21,368 thousands)													
Total for w/e 10-3-51	36	16	2,767	358	201	50							
Total for w/e 3-3-51	25	13	2,427	324	278	13							
7-yearly mean for the week	79	48	382	54	768	90							
Madras													
Visakhapatnam	—	—	53	8	—	—							
Chittoore	26	16	484	75	—	—							
East Godavari	6	1	107	40	—	—							
Krishna	30	16	298	51	—	—							
Guntur	5	3	430	50	—	—							
Nellore	22	11	114	26	—	—							
Cuddappah	—	—	170	33	—	—							
Kurnool	3	2	103	18	—	—							
Bellary	—	—	20	6	—	—							
Anantapur	—	—	100	26	—	—							
Madras	7	1	206	31	—	—							
Chingleput	22	16	49	25	—	—							
Chittoor	2	1	71	20	—	—							
North Arcot	23	13	154	30	—	—							
Salem	47	21	161	30	—	—							
Coimbatore	125	59	338	83	—	—							
South Arcot	107	64	277	61	—	—							
Tanjore	44	27	28	7	—	—							
Tiruchirapali	56	28	122	27	—	—							
Eathurai	185	81	135	30	—	—							
Ramnad	208	107	82	25	—	—							
Tirunelveli	212	136	52	10	—	—							
Nilgiris	—	—	10	3	—	—							
Malabar	—	—	89	35	—	—							
South Kanara	—	—	20	2	—	—							
West Godavari	3	1	100	21	—	—							
TOTAL	1,138	604	3,333	773	—	—							
(Estd. mid-year pop. 55,055 thousands)													
Total for w/e 10-3-51	1,276	704	3,110	617	1	—							
Total for w/e 3-3-51	1,518	803	2,545	570	1	—							
7-yearly mean for the week	426	233	1,166	217	31	18							
Manipur													
TOTAL	—	—	2	—	—	—							
(Estd. mid-year pop. 567 thousands)													
Total for w/e 10-3-51	—	—	—	—	—	—							
Total for w/e 3-3-51	—	—	—	—	—	—							
Orissa													
Cuttack	10	2	195	30	—	—							
Balasore	8	5	92	12	—	—							
Puri	—	—	105	9	—	—							
Sambalpur	—	—	11	1	—	—							
Khondmals	—	—	—	—	—	—							
Ganjam Plains	—	—	222	44	—	—							
Ganjam Agency	—	—	3	—	—	—							
Koraput	—	—	22	5	—	—							
Keonjhar	6	3	6	—	—	—							
Dhenkanal	—	—	—	—	—	—							
Bolangir Patna	5	1	10	—	—	—							
Sundergarh	—	—	31	6	—	—							
Kalahandi	26	18	27	4	—	—							
Angul	3	2	—	—	—	—							
Mayurbhanj	14	10	151	34	—	—							
TOTAL	72	41	875	154	—	—							
(Estd. mid-year pop. 13,413 thousands)													
Total for w/e 10-3-51	32	14	478	83	—	—							
Total for w/e 3-3-51	35	16	363	39	—	—							
7-yearly mean for the week	76	45	366	61	—	—							

Explanation of symbols used: C—Cases; D—Deaths.

17th March, 1951—contd.

Explanation of Symbols used C. = Cases ; D. = Deaths.

[illegible]

NEW DELHI, 3 (INDIA) }
The 24th April, 1901. }

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March, 1961.

Town	Mid.-1951 Popu.-Est. (000)	Deaths from —											Total	D.R.*	I.O.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	176	129	38.1	..	2	..	18	..	13	..	49	14.5	7		
Beawar	45	40	46.2	..	2	..	7	1	7	..	23	26.6	8		
TOTAL	221	169	39.8	..	4	..	25	1	20	..	72	16.9	15		
Assam	}	Returns not received.													
Bhopal															
Bihar															
Bombay															
Delhi State															
Delhi City	702	444	32.9	44	10	38	..	125	9.3	37		
New Delhi	124	131	54.9	1	5	1	43	19.0	10		
TOTAL	826	575	36.2	44	11	43	1	168	10.6	47		
Madhya Pradesh															
Akola	78	56	37.3	...	10	...	18	2	5	...	51	34.0	7		
Amravati	78	58	38.9	...	9	...	17	1	6	3	57	38.2	14		
Bilaspur	44	13	15.5	1	1	10	11.9	5		
Burhanpur	64	44	35.6	...	7	...	10	...	3	...	29	23.5	...		
Chanda†	44	29	34.6	6	12	4	...	22	26.3	11		
Damoh†															
Ellichpur	34	36	54.3	6	2	1	...	25	37.7	8		
Hinganghat	34	20	30.9	...	1	...	1	2	6	...	14	19.4	7		
Jabalpur	177	90	28.4	5	5	2	2	38	11.1	10		
Khandwa	42	22	26.9	10	1	24	29.4	...		
Nagpur	306	119	20.2	...	51	...	55	2	16	...	148	25.1	16		
Nagpur Civil Station	85	41	25.0	...	12	...	12	1	2	...	31	18.9	...		
Raipur	82	17	10.8	...	10	...	2	3	3	...	18	11.4	...		
Sagar†															
Wardha	37	16	22.2	...	2	...	3	9	12.5	...		
Yeotmal	32	28	45.0	...	1	...	7	2	25	40.2	7		
TOTAL	1,187	589	26.9	...	103	...	153	34	48	4	501	22.9	85		
Madras															
Returns not received.															
Orissa															
Berhampur†															
Cuttack	84	49	30.4	...	11	...	3	1	3	...	46	23.6	6		
Puri	45	33	38.2	7	3	3	...	24	27.8	9		
TOTAL	129	82	33.1	...	11	...	10	4	6	...	70	23.2	15		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March, 1951—*contd.*

Deaths from —														
Town	Mid-1951 Popn. Est. (000)	B.	B. R.*	O.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D. R.*	I. D.	
Punjab (I)														
Ambala	53	31	30.5	3	...	3	10	9.8	5	
Amritsar	520	323	32.4	1	18	44	4.4	7	
Batala	56	27	25.1	3	5	4.7	...	
Bhiwani	52	46	40.1	2	1	9	14	14.0	4	
Fazilka	38	9	12.3	4	1	1	8	11.0	1	
Ferozepore	48	22	23.9	1	5	5.4	...	
Hissar	32	13	21.2	2	...	1	3	4.9	1	
Hoshiarpur	44	5	5.9	1	...	1	1.2	...	
Jullundur	149	83	29.1	4	...	3	13	4.6	6	
Karnal	49	31	33.0	4	...	1	11	11.7	1	
Ludhiana	150	73	24.4	9	2	2	20	6.7	8	
Moga	38	27	37.0	3	...	3	7	9.6	3	
Panipat†														
Rewari	35	10	14.9	2	1	2	7	10.4	7	
Rohatak	61	26	22.2	6	10	8.5	4	
TOTAL	1,381	726	28.4	42	7	44	158	6.2	47	
Uttar Pradesh														
Agra	360	216	31.2	...	2	3	62	104	14.8	31	
Allahabad	323	250	39.2	1	...	43	75	11.8	13	
Amroha	67	45	34.8	5	1	6	22	17.0	4	
Bahraich	47	27	30.1	6	...	3	12	13.4	3	
Balrampur	52	16	10.0	7	1	...	10	10.0	2	
Banaras	313	333	55.5	51	11	23	169	28.2	56	
Bareilly†														
Budaun	59	32	28.3	6	...	5	18	15.9	6	
Dehra Dun	105	31	15.4	5	1	2	18	8.9	...	
Etawah	59	42	36.8	13	...	6	29	25.4	12	
Faizabad-Ajodhya†														
Farrukhabad-Fatehgarh	65	55	44.4	8	1	6	21	16.9	6	
Ferozabad	57	33	30.3	3	3	1	11	10.1	2	
Ghazipur	35	13	19.2	10	...	2	14	20.7	2	
Gorakhpur	123	50	21.2	8	3	4	32	13.5	5	
Hapur	48	43	47.1	4	...	3	9	9.9	2	
Hardwar Union	72	34	24.6	3	1	5	18	13.0	3	
Hathras	57	35	31.9	4	1	6	11	10.0	2	
Jaunpur	52	30	29.9	3	...	3	11	11.0	...	
Jhansi	91	94	53.6	20	1	7	35	19.9	3	
Kanpur	701	354	25.6	...	2	92	22	24	236	17.5	81	
Khurja	42	21	26.2	1	...	10	13	16.2	6	
Koil-Aligarh	146	52	18.6	9	2	5	21	7.5	3	
Lucknow	498	411	43.0	...	2	1	...	63	5	33	189	19.8	44	
Mathura	102	33	42.4	13	...	4	30	15.3	9	
Meerut	163	89	28.5	5	1	11	32	10.3	5	
Mirzapur-Vindhyachal	82	63	39.9	...	1	11	2	4	32	20.5	11	
Moradabad	189	134	37.0	11	5	19	55	15.2	11	
Muzaffarnagar	66	29	22.7	6	2	2	11	8.6	6	
Pilibhit	54	36	34.9	4	...	3	16	15.5	7	
Rampur	105	21	10.4	2	...	6	12	6.0	1	
Saharanpur	171	83	25.3	18	...	9	33	10.1	6	
Sambhal	64	45	36.6	5	1	2	18	8.9	...	
Shahjahanpur†														
Sitapur	38	12	16.6	...	1	5	...	2	9	12.4	2	
TOTAL	4,415	2,787	32.8	...	8	406	68	336	7	1,338	15.8	362

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; O.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March, 1951—*contd.*

Deaths from :—

Town	Mid-1951 Popn.-Est., (000)	B.	B.R.*	C.	S.	F.	P.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal		Return not received.											
STATES—(Part B)													
Jammu and Kashmir		Return not received.											
Madhya Bharat													
Greater Gwalior†													
Indore . . .	276	180	33.7	...	2	...	40	1	10	1	117	21.9	36
Ratlam . . .	52	25	25.0	5	...	8	...	17	17.0	...
Ujjain City . . .	109	46	22.6	2	7	4	47	23.0	13
TOTAL . . .	437	251	29.9	...	2	...	45	3	25	5	181	21.5	49
Mysore State													
Bangalore City . . .	510	452	46.0	...	1	...	5	31	33	..	201	20.4	...
Kolar Gold Fields . . .	184	108	42.0	...	1	...	3	6	6	...	39	15.4	...
Mysore City . . .	195	144	38.4	2	4	1	...	38	10.1	...
TOTAL . . .	889	704	41.2	...	2	...	10	41	40	...	278	16.3	...
PEPSU													
Malerkotla . . .	36	14	20.2
Patiala . . .	85	17	10.4	11	1	2	3	30	18.4	6
TOTAL . . .	121	31	13.3	11	1	2	3	30	12.9	6
Rajasthan													
Alwar† . . .													
Bikaner . . .	170	56	17.0	...	1	1	10	...	26	7.9	5
Jaipur . . .	204	27	6.8	39	2	13	...	77	19.6	22
Jodhpur . . .	160	18	5.8	12	2	2	...	28	9.1	...
Udaipur† . . .													
TOTAL . . .	534	101	9.8	...	1	...	45	5	25	...	131	12.8	27
Saurashtra													
Bhavnagar . . .	131	58	23.0	16	1	9	1	37	14.7	9
Dhoraji . . .	46	23	26.0	6	...	1	...	8	9.0	...
Jamnagar . . .	89	35	20.4	11	4	1	...	28	16.4	11
Jetpar . . .	34	20	30.6	...	1	...	3	4	6.1	2
Junagadh . . .	77	23	15.5	14	2	1	...	21	14.2	9
Morvi . . .	56	15	13.9	2	1	9	2.8	...
Porbandar . . .	64	14	11.4	12	1	16	13.0	4
Rajkot . . .	74	104	73.0	15	31	21.8	...
TOTAL . . .	571	292	26.6	...	1	...	79	9	12	1	148	13.5	35
Travancore-Cochin		Return not received.											

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March, 1951.—*conold.*

Deaths from :—

Town	Mid.-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	----------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

ARREAR RETURNS

West Bengal

For w/e the 10th March, 1951

Asansol†													
Bally	71	8	6.6	1	†	1	1	..	6	4.4	..
Bankura	62	9	6.7	4	3.4	..
Baranagar	72	27	19.4	..	9	..	12	1	5	1	36	25.9	6
Berhampur	56	40	37.1	..	1	..	4	..	2	..	9	8.4	..
Bhatpara	150	18	6.2	..	3	..	16	1	5	..	52	18.1	7
Budge-Budge	41	9	11.5	..	2	1	1	..	6	7.7	..
Burdwan	87	13	7.8	..	8	..	2	1	1	..	16	9.6	..
Calcutta	3,086	792	13.3	44	530	..	102	51	177	2	1,314	22.1	†
Champdani	39	26	35.1	..	5	..	1	13	17.6	..
Garden Reach	115	18	8.1	..	2	..	9	2	4	1	24	10.8	3
Hooghly-Chinsura	66	32	25.3	1	1	..	7	1	1	..	16	12.6	6
Howrah	539	76	7.4	4	137	..	15	27	54	1	209	28.9	..
Kamarhati†													
Krishnagar	40	2	2.6	..	1	1	1.3	..
Midnapur	55	13	12.4	..	6	..	2	1	2	..	16	15.3	..
Nabadwip	43	22	26.9	8	14	..	9	1	30	36.6	1
Naihati	54	5	4.8	..	1	..	5	1	10	9.7	1
Serampur	72	19	19.7	3	1	..	4	7	5	..	29	21.0	5
South Suburban.	88	10	5.9	..	19	..	2	4	3	..	40	23.6	11
Titagarh	66	30	23.9	2	12	..	19	33	26.3	5
Tollygunj	94	5	2.8	..	5	11	6.1	..
TOTAL	4,896	1,174	12.6	58	753	..	209	99	261	6	1,965	20.9	116

Madhya Pradesh

For w/e the 10th March, 1951

Akola	78	36	24.0	..	21	..	7	1	35	23.3	6
Amravati	78	65	43.5	..	4	..	14	3	48	32.2	12
Bilaspur	44	19	22.6	3	3	3.6	..
Burhanpur	64	56	45.3	..	2	..	20	1	3	..	35	28.3	..
Chanda	44	11	13.1	2	11	1	..	14	16.7	6
Damoh†													
Ellichpur	34	31	46.8	..	1	..	16	5	25	37.7	1
Hinganghat	34	13	20.1	3	1	7	10.8	..
Jabalpur	177	111	32.5	15	2	7	..	46	13.5	..
Khandwa	42	27	33.0	5	18	22.0	..
Nagpur	300	126	31.7	3	24	8	41	1	15	..	135	22.9	10
Nagpur Civil Station	85	58	32.3	..	4	..	7	..	1	1	23	14.0	..
Raipur	82	20	12.7	..	21	..	2	..	4	..	27	17.1	..
Sagar†													
Wardha	37	11	15.3	..	3	..	2	6	8.3	..
Yeotmal	32	29	46.6	..	1	..	7	..	2	..	21	33.8	7
TOTAL	1,137	613	28.0	3	81	8	138	24	33	2	443	20.2	42

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March, 1951—contd.

Deaths from :—

Town	Mid-1951 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
For week the 3rd March 1951													
Madras													
Adoni	35	38	55.3	5	..	23	32.7	..
Anabur	39	30	40.0	1	..	14	18.7	..
Anakapalli	35	24	35.7	4	..	14	20.8	..
Aruppukottai	36	37	53.4	2	..	26	37.0	..
Bellary †
Bhimavaram	33	15	23.6	1	6
Cannanore	35	27	40.1	1	11	16.3	..
Chirala	36	16	23.1	1	1	..	6	8.7	1
Chittoor	34	14	21.4	1	3	..	13	19.9	1
Coimbatore	67	146	45.5	..	11	23	19	1	126	39.2	34
Cuddalore	63	40	33.6	2	1	2	5	..	5	25.4	3
Cuddappah	34	21	32.1	1	9	13.8	1
Dindigul	69	59	45.1	3	4	2	..	42	32.1	10
Eluru	73	43	30.6	..	5	4	4	..	46	32.8	6
Erode	45	40	62.2	..	2	1	7	..	18	28.0	3
Guddiyattam	41	23	22.9	4	4	..	13	19.0	2
Guntur	93	80	40.4	..	1	4	..	23	14.1	4
Kakinada	85	46	28.1	..	3	1	..	15	8.7	4
Kanchiapuram	84	44	27.2	7	2	..	37	22.8	7
Kashikode	54	107	36.1	4	8	..	59	6.9	2
Karaikudi	36	18	26.0	12	7.3	1
Karur	36	27	39.0	3	..	13	9.0	3
Kumbakonam	72	56	40.4	5	4	3	5	1	65	46.9	..
Kurndol	56	40	37.1	2	8	1	23	21.4	..
Madras†
Mangalore	96	24	13.0	3	2	..	25	13.5	4
Mamillapattanam	81	39	33.2	..	1	1	2	..	19	16.2	3
Mathurai	98	214	32.2	18	10	10	37	..	62	24.5	22
Mayuram	33	57	89.8	9	4	6	..	4	53.0	5
Melapalayam	32	21	34.1	3	2	..	18	29.3	4
Nagapattinam	57	66	60.2	1	2	2	1	32	26.2	10
Nellore	67	70	54.3	3	2	3	5	5	61	47.3	15
Ootacamund	35	29	43.1	6	1	20	29.7	6
Palyamkottai	34	4	52.0	1	2	..	19	29.1	6
Palghat	61	34	29.0	..	3	1	0	2	4	29.0	2
Proddatur	34	27	41.3	1	2	..	9	13.8	2
Pudukottai	40	27	41.2	1	2	1	9	13.8	2
Rajahmundry	86	60	36.2	..	7	5	7	..	69	41.7	20
Rajapalayam	54	41	39.1	3	5	..	22	21.2	2
Salem	58	101	33.2	2	3	11	68	22.4	11
Srivilliputhur	37	30	42.2	1	2	..	24	33.7	6
Tanjore	71	77	56.4	4	4	5	3	1	61	46.7	8
Tellicherry	42	27	33.4	5	..	21	26.0	6
Tenali	47	32	35.4	4	1	4	..	16	17.7	1
Tiruchirappalli	77	170	50.0	9	3	8	30	..	157	46.2	27
Tirunelveli†
Tiruppur	49	29	30.7	..	3	4	2	..	22	23.4	6
Tiruvannamalai	40	19	24.7	1	3	13	16.9	3
Tuticorin	91	60	34.3	5	14	2	54	30.9	10
Vaniambedi	40	23	39.9	..	1	2	..	10	13.0	2
Vellore	86	75	45.3	..	1	3	6	..	54	32.7	17
Vijayavada	18	43	19.8	..	2	5	1	..	24	11.1	3
V. Rudanagar	36	27	39.0	3	1	6	2	..	21	28.3	4
V. akhapatnam	84	58	35.9	..	2	5	3	..	8	26.5	12
Vizianagaram	59	31	27.3	..	2	5	7	..	42	37.1	8
TOTAL	3,518	2,551	37.7	62	68	..	2	7	281	23	1,806	26.7	920

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in Madras District, 1951
 Also 17th March 1951

Town	Mid-1951 Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.*	F.	D.D.	R.D.	M.D.				
For the 10th March 1951														
Madras														
Adoni	35	39	58.2	6	..	15	22.3	4	
Ambur	39	24	32.0	3	1	3	1	16	22.3	2	
Anakapalle	35	20	29.7	1	2	5	..	16	26.0	3	
Aruppukottai	36	27	39.0	2	2	1	1	20	28.9	2	
Bellary	65	40	32.0	..	1	1	2	2	7	1	26	20.8	4	
Cannanore	35	18	25.9	4	1	7	10.4	1	
Bhimavaram†														
Chitrala	26	7	10.1	1	1	7	10.1	..	
Chittoor	24	20	45.9	1	..	15	22.4	2	
Colembatore	167	112	34.9	..	16	..	4	19	20	3	123	38.3	42	
Cuddalore	62	40	33.6	..	1	..	3	2	3	..	22	18.5	3	
Cuddappah	34	36	55.1	..	1	..	1	1	2	1	17	26.9	2	
Dindigul	69	64	48.5	1	1	..	4	3	9	..	37	28.3	9	
Eluru	73	36	25.6	..	3	..	4	1	2	1	29	20.7	6	
Erode	45	57	58.6	2	2	..	15	23.3	6	
Gudiliyattam	41	26	33.0	..	1	..	1	3	2	..	11	14.0	2	
Guntur †														
Kakinada	85	38	23.3	..	2	..	3	..	1	..	35	21.4	2	
Kalahobapuram														
Kozhikode	154	119	40.1	5	1	17	2	77	26.0	4	
Karakkudi	36	17	24.6	2	1	..	11	15.8	2	
Karur	36	28	40.4	1	..	16	23.1	4	
Kumbakonam	72	54	39.0	5	3	..	1	3	11	..	64	46.2	5	
Kurnool	56	41	38.1	5	4	18	16.7	2	
Madras	1,037	882	44.6	2	25	..	61	6	174	3	719	36.4	164	
Mangalore	96	96	52.0	..	1	..	1	3	16	..	50	27.1	2	
Masulipatnam	61	66	55.4	..	3	..	4	1	2	..	33	28.1	6	
Madurai	296	258	38.9	21	4	..	12	4	41	..	147	22.2	25	
Mayiladuthurai	33	21	33.1	1	13	20.5	2	
Melapalayam	32	15	24.4	2	2	..	11	17.9	..	
Nagapattinam	27	21	19.2	2	2	1	23	21.0	2	
Nellore	67	80	62.1	4	1	..	3	1	6	1	50	38.8	15	
Ootacamund	25	21	31.2	1	4	..	10	14.9	1	
Palayamkottai	54	24	36.7	2	3	..	20	30.6	5	
Palghat	61	49	41.5	..	3	..	1	1	3	1	27	23.0	3	
Proddatur	24	22	33.7	..	5	1	1	..	16	24.2	2	
Pudukottai	40	43	55.9	6	..	4	..	23	32.5	2	
Rajahmundry	86	35	21.2	..	5	..	3	5	9	..	50	30.2	12	
Rajapalayam	54	48	46.2	1	5	6	..	29	27.9	2	
Salap	158	105	34.6	..	2	..	2	5	16	3	61	20.1	12	
Srivilliputhur	27	43	59.0	1	4	1	..	31	27.5	..	
Tanjore	71	109	79.8	6	2	..	5	1	4	2	67	49.1	12	
Tellicherry	43	23	27.2	1	1	..	10	12.4	1	
Tenali	47	31	34.3	2	2	11	12.2	2	
Tiruchirappalli	177	84	24.7	8	3	10	42	2	142	41.7	20	
Tirunelveli	64	61	69.6	1	1	2	2	..	34	27.6	12	
Tiruppur	49	23	24.4	1	3	1	..	14	14.9	4	
Tiruvannamalai	40	23	29.9	3	4	4	..	18	23.4	3	
Tuticorin	91	74	42.3	2	4	3	10	..	63	36.6	16	
Vangambedi	40	29	37.7	2	2	..	11	14.3	2	
Vellore	26	72	43.5	2	6	17	..	47	28.4	112	
Vijayawada	179	69	31.8	..	1	..	6	2	6	1	53	24.4	9	
Vijayanagara	26	49	70.8	..	3	..	2	4	3	..	31	44.8	9	
Vishakhapatnam	85	68	42.1	..	4	..	4	3	15	..	45	27.9	5	
Vizianagaram	59	33	22.9	4	6	6	..	33	23.6	9	
TOTAL	4,454	3,440	40.2	54	93	1	174	185	495	23	2,438	29.0	411	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th March, 1951—*contd.*

Town	Popn. Est. Mid-1950	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
FOR THE WEEK END 10th March 1951														
Bombay	273	180	33.7	—	2	41	2	17	2	134	28.2	26
Bombay City	52	40	40.0	..	2	5	..	2	..	18	18.0	..
Bombay Suburban	106	40	24.0	3	1	9	3	50	24.5	15
TOTAL	436	260	32.1	..	5	49	3	28	5	192	22.9	53

For the week ending 10th March 1951													
Alleppey	69	67	50.5	1	1	1	2	15	11.3	2
Ernakulam	57	44	40.1	2	2	23	21.0	1
Kottayam	42	24	29.7	2	7	8.7	1
Mattancherry	68	22	22.2	1	...	4	...	14	10.4	2
Nagercoil	61	25	21.3	5	...	1	...	12	10.2	...
Quilon	66	95	75.6	2	5	...	14	11.0	1
Trichur	70	82	29.0	1	2	...	12	8.8	4
Trivandrum	162	186	59.7	3	2	5	...	23	7.4	1
TOTAL	595	510	44.6	14	8	18	2	120	10.5	12

Saurashtra				For the 3rd March 1951												
Bhavnagar	.	.	.	131	30	12.0	16	1	3	..	40	15.4	22
Dhore	.	.	.	46	23	26.0	2	..	2	..	10	11.3	..
Jamnagar †																
Jetpur	.	.	.	24	17	26.0	9	1	1	..	12	18.4	..
Junagadh	.	.	.	77	35	23.6	16	1	1	1	31	20.9	5
Morvi	.	.	.	56	9	8.4	8	1	2	..	11	10.2	2
Porbandar	.	.	.	64	38	31.7	9	1	..	2	20	16.3	5
Rajkot †																
TOTAL				408	152	19.4	60	5	9	3	124	15.8	24

Madhya Pradesh																
For week																
Bagar	.	.	3-2-51	63	23	18.9	10	1	4	...	15	12.3	...
"	.	.	10-2-51	"	22	18.1	5	1	7	...	14	11.5	...
"	.	.	17-2-51	"	24	19.7	12	1	1	...	14	11.5	...
"	.	.	24-2-51	"	30	24.6	9	...	4	...	13	10.7	...
Amravati	.	.	10-2-51	78	56	37.5	...	1	...	16	...	6	4	53	35.5	11

Rajasthan																
Alwar	.	.	17-2-51	61	17	14.5	...	3	...	1	1	2	...	10	8.5	...
Udaipur	.	.	3-3-51	74	5	3.5	...	1	...	5	10	7.0	1

Jammu & Kashmir																
Jammu	.	.	6-1-51	63	66	43.2	9	...	3	...	22	18.2	1
"	.	.	13-1-51	60	38	31.0	10	...	5	1	16	13.2	...
"	.	.	20-1-51	50	30	32.2	...	1	...	5	...	7	...	16	13.2	1
"	.	.	27-1-51	15	37	30.5	5	1	7	...	13	10.7	2
"	.	.	3-2-51	"	23	19.0	7	2	3	...	13	10.7	—
"	.	.	10-2-51	"	25	20.6	5	...	3	...	14	11.6	...

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Small pox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending 17th March 1951, relate to 85 towns with an estimated population of 10,611 thousands. The total number of towns is 234 and their population is 29,017 thousands. Thus 36% of the total number of towns representing 37% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 6,307 and 2,894 representing birth and death rates of 30.9 and 15.1 per thousand of population respectively.

(A) *States (Parts A & C).*—The data here relate to 66 towns with an estimated population of 8,059 thousands. Information about Assam, Bihar, Bombay, Madras and West Bengal could not be included. The total number of towns is 202 and their population is 25,187 thousands. Thus 33% of the total number of towns representing 32% of the total population is covered. The number of births and deaths

recorded in these towns were 4,928 and 2,307 representing birth and death rates of 31.8 and 14.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 19 towns with an estimated population of 2,552 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 59% of the total number of towns representing 67% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,379 and 768 representing birth and death rates of 28.1 and 15.6 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 17-3-51		Corresponding w/e last year		Corresponding mean during the previous 5 years period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	30.8	16.9	28.1	15.8	26.9	17.0
Delhi	26.2	10.6	22.6	20.5	29.4	13.7
Madhya Pradesh	26.9	22.9	25.2	19.0	30.7	20.0
Orissa	23.1	28.2	24.0	28.1	24.2	25.9
Punjab, (1)	28.4	6.2	27.9	10.4	28.9	11.0
Uttar Pradesh	22.6	15.8	29.4	21.6	27.6	19.8
India (only States Parts A & C)	31.8	14.9	27.8	19.8	26.8	18.8

NEW DELHI 3, (INDIA);

The 9th April, 1951

S. P. JAIN,

for Registrar General, India.